

SAFETY DATA SHEET

In Accordance with 3rd revised edition of GHS

Section 1 – Identification	of the Substance and Company		
Product Name	: 1100RC		
Product Type	: PP Homopolymer		
Product Use	: Raw material for plastic industry, Resin, extrusion and compounding, plastic molding, molded articles, films and coatings		
Manufacturer	: IRPC Public Company Limited. 299 Moo 5 Sukhumvit Road Amphur Muang Rayong Thailand		
Emergency Call	: +66(0) 38 802560		
Website	: www.irpc.co.th, www.irpcmarket.com		
Section 2 – Hazards Ident	ification		
Regulation (EC) No 1272/20	108 : This product is not classified as dangerous according to Regulation (EC) No 1272/2008.		
GHS	: Not classified as dangerous		
Label elements	: Not applicable		
Other hazards	: Not applicable		
Section 3 – Composition / Information on Ingredients			

Chemical name	nemical name		EC Number	Composition
Polypropylene		9003-07-0	Polymer	≥99

Section 4 - First-aid	d Measures
-----------------------	------------

Skin Exposure Eyes Exposure Inhalation Ingestion	 If molten material comes in contact with the skin, cool under ice water or a running stream of water. DO NOT attempt to remove the material from the skin. Remove could result in serve tissue damage. Get medical attention. If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open. Remove contact lenses, if worn. Get immediate medical attention. Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties continue. No first aid procedures are required. Seek medical attention if a significant
Section 5 – Fire-fighting l	amount is swallowed Measures
Suitable extinguishing agen	ts : Dry chemicals, foam, water, carbon dioxide, and halon. Avoid using direct streams of water on molten burning material
Hazards during fire-fighting	g : Carbon monoxide, carbon dioxide, original monomer other hydrocarbon.

Protective equipment : Wear self-contained respiratory protective device.



555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนอิกาวดีร์งสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โทร. +66(0) 2765-7000, 66(0) 2765-7777 แพ็กซ์: +66(0) 2765-7002-5 **IRPC Public Company Limited** 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com



Section 6 – Accidental Release Measures

Personal precautions	: Avoid dust formation. Avoid breathing vapors, mist or gas.	
Environmental precautions	: Discharge into the environment must be avoided.	
Cleanup	: Collect spilled material using a method that minimizes dust generation (e.g. wet methods, HEPA vacuum). Place waste in an appropriate container for disposal. Allow molten material to solidify before disposal.	
Section 7 – Handling and St	orage	
Handling	: Exposure of polystyrene to extremely high temperatures (315 °C or higher) may cause partial decomposition. Chemicals that may be released include styrene monomer, benzene, and other hydrocarbons. Handling of pellets may form dust. Filter and ventilate dust where necessary	
Storage conditions	: Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame and sparks. Ventilate enclosed storage areas, such as trailers and railcars, before entering. Have emergency equipment for fires and spills readily available.	

Section 8 - Exposure Controls / Personal Protection

Exposure limits

Component Name		Doforonao	TWA	
		Reierence	ppm	mg/m3
Delementaria		Italy-OEL	-	10
Рогургорутене		Canada-OEL	-	10
Exposure control	: Ventilation, enclosures, or other controls may be needed to keep airborne contaminates below exposure limits.			to keep airborne
Personal protective equip	ment			
Respiratory protection	: No special	respiration protection is not	mally required.	
Eye protection	: Chemical v	workers goggles recommend	ed.	
Protective clothing	 Gloves required when handling hot material. In case of fire, wear MSHA/NIOSH approved self-contained breathing apparatus or equivalent and full protective gear. Provide adequate ventilation when processing material at elevated 			
ventilation	temperatures.			
Engineering Controls	 For molten materials: Provide mechanical ventilation; in general such ventilation should be provided at compounding/ converting areas and at fabricating/ filling work stations where the material is heated. Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material. 			
Section 9 – Physical and	l Chemical Prop	perties		
Appearance	: Opaque, tr	anslucent, colorless pellets c	or white fluff (powe	der), solid
Odor	: Characteri	stic odor		
Boiling Point	: Not applic	able		
Flash Point	: 348 °C (AS	TM D1929)		

บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี เชั้น 6 ถนนวิกาวดีรับสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โทร. +66(0)2765-7000, 66(0)2765-7777 แพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited

555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th, www.irpcmarket.com



Melting Point	: 130 – 170 °C		
Auto-ignition Temperature	: 380 °C		
Vapor Pressure	: Not applicable		
Specific Gravity	: 0.85 – 0.95		
Density	: $0.85 - 0.95 \text{ g/cm}^3$		
Solubility in water	: Insoluble		
Solubility (Qualitative)	: Soluble in polar solvents		
Partition coefficient: n-octanal	: Not applicable		
рН	: Not available		
Bulk Density	: 400(powder)-600(pellet) kg/m ³		
Section 10 – Stability and Re	eactivity		
Stability	: This material is considered a stable thermoplastic, with no chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.		
Condition to Avoid	: Avoid temperatures above 300°C.		
Material to Avoid	: Avoid solvents and oxidizing agents.		
Dangerous decomposition	: Carbon dioxide, carbon monoxide, hydrocarbons, dense smoke.		

Section 11 – Toxicological Information

Acute toxicity

Chemical name	Route	Species	Acute Toxic Value
Polypropylene	Oral	Rat	LD ₅₀ > 8,000 mg/kg

Irritating/corrosive effect	S		
Eye Irritation	: Solid particles may o	cause transient irritation from mechanical abrasion.	
Skin Irritation	: Molten material may cause thermal burns.		
Respiratory Irritation	: Not a likely route of exposure. Process fumes may cause irritation.		
Ingestion Irritation	: May cause a choking hazard if swallowed.		
Carcinogenic effect:			
International Agency for Res	earch on Cancer (IARC):	Group 3	
		NOT classifiable as to its carcinogenicity to humans.	

Section 12 – Ecological Information

Aquatic toxicity	: No relevant studies identified.
Persistence and degradability	: This material is not expected to be readily biodegradable.
Bio-accumulative potential	: Not expected to be bio-accumulative due to its insolubility in water.
Mobility in soil	: No relevant studies identified.
Other adverse effects	: Not expected to pose a significant ecological hazard.
Section 13 - Disposal Consid	erations

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.



บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนอิกาวดีร์งสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โทร. +66(0) 2765-7000, 66(0) 2765-7777 แพ็กซ์: +66(0) 2765-7002-5 **IRPC Public Company Limited** 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com



Dispose of by: burial in a land-fill specifically licensed to accept chemical and/or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Section 14 – Transport Information

Regulatory information	UN number	Class	Packing group	Label	Proper Shipping Name
DOT	-	-	-	-	-
ADR/RID	-	-	-	-	-
IMDG CODE	-	-	-	-	-
ICAO/IATA	-	-	-	-	-

Section 15 – Regulatory Information

US Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

HMIS-USA

Health - 0, Flammability - 1, Reactivity - 0

NFPA- USA

Health – 0, Flammability – 1, Reactivity – 0

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

Canada - WHMIS

Material is not controlled under WHMIS.

Section 16 – Other Information

DOT	: Department of Transportation
ADR	: European agreement concerning the international carriage of dangerous goods by road.
RID	: Regulations concerning the international carriage of dangerous goods by rail.
IMDG – CODE	: International maritime dangerous goods code
ICAO	: International Civil Aviation Organization
IATA	: International air transport association
GHS	: Globally Harmonized System of Classification and Labeling of Chemicals
CLP	: Classification and Labeling of Packaging
NFPA	: National Fire Protection Association
HMIS	: Hazardous Materials Identification System
WHMIS	: Workplace Hazardous Materials Information System

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes

มริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 คูมย์เอนเมอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนอิกาวดีรับสิต เของอตุจักร เขตอตุจักร กรุงเทพ 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 เเฟ็กซ์: +66(0) 2765-7002-5 **IRPC Public Company Limited** 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765-7000, 66(0) 2765-7777 FAX: +66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com