

SAFETY DATA SHEET

In Accordance with 3rd revised edition of GHS

Section 1 – Identification of the Substance and Company		
Product Name	: 1102H	
Product Type	: PP Homopolymer	
Product Use	: Raw material for plastic industry, Resin, extrusion and compounding, plastic molding, molded articles, films and coatings	
Manufacturer	 IRPC Public Company Limited. 299 Moo 5 Sukhumvit Road Amphur Muang Rayong Thailand 	
Emergency Call	: +66(0) 38 802560	
Website	: www.irpc.co.th, www.irpcmarket.com	
Section 2 – Hazards Iden	tification	
Regulation (EC) No 1272/2	008 : This product is not classified as dangerous according to Regulation (EC) No 1272/2008.	
GHS	: Not classified as dangerous	
Label elements	: Not applicable	
Other hazards	: Not applicable	
Section 3 – Composition	/ Information on Ingredients	

Chemical name		CAS Number	EC Number	Composition
Polypropylene		9003-07-0	Polymer	≥99

Section 4 – First-aid Meas	sures
Skin Exposure	: If molten material comes in contact with the skin, cool under ice water or a running stream of water. DO NOT attempt to remove the material from the skin. Remove could result in serve tissue damage. Get medical attention.
Eyes Exposure	: If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open. Remove contact lenses, if worn. Get immediate medical attention.
Inhalation	: Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties continue.
Ingestion	: No first aid procedures are required. Seek medical attention if a significant amount is swallowed
Section 5 – Fire-fighting l	Measures
Suitable extinguishing agen	its : Dry chemicals, foam, water, carbon dioxide, and halon. Avoid using direct streams of water on molten burning material
Hazards during fire-fighting	g : Carbon monoxide, carbon dioxide, original monomer other hydrocarbon.
Protective equipment	: Wear self-contained respiratory protective device.

IRPC

บริษัท ไออาร์พีซี จำกัด (มหาชน)

Section 4 First aid Massura

555/2 กูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนอิกาวดีรับสิต เของอตุจักร เขตอตุจักร กรุงเทพ 4 10900 โกร. +66(0) 2765 -7000, 66(0) 2765 -7777 เเฟ็กซ์: +66(0) 2765 -7002 - 5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765 -7000, 66(0) 2765 -7777 FAX: +66(0) 2765 -7002 - 5 www.irpc.co.th, www.irpcmarket.com



Section 6 – Accidental Release Measures			
Personal precautions	: Avoid dust formation. Avoid breathing vapors, mist or gas.		
Environmental precautions	: Discharge into the environment must be avoided.		
Cleanup	: Collect spilled material using a method that minimizes dust generation (e.g. wet methods, HEPA vacuum). Place waste in an appropriate container for disposal. Allow molten material to solidify before disposal.		
Section 7 – Handling and S	Section 7 – Handling and Storage		
Handling	: Exposure of polystyrene to extremely high temperatures (315 °C or higher) may cause partial decomposition. Chemicals that may be released include styrene monomer, benzene, and other hydrocarbons. Handling of pellets may form dust. Filter and ventilate dust where necessary		
Storage conditions	: Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame and sparks. Ventilate enclosed storage areas, such as trailers and railcars, before entering. Have emergency equipment for fires and spills		

Section 8 - Exposure Controls / Personal Protection

Exposure limits

Component Name	Reference	TWA		
component Name	Kelelelice	ppm	mg/m3	
Delumronydone	Italy-OEL	-	10	
Polypropylene	Canada-OEL	-	10	

Exposure control	: Ventilation, enclosures, or other controls may be needed to keep airborne
	contaminates below exposure limits.

Personal protective equipment

Respiratory protection	: No special respiration protection is normally required.
Eye protection	: Chemical workers goggles recommended.
Protective clothing	: Gloves required when handling hot material. In case of fire, wear
	MSHA/NIOSH approved self-contained breathing apparatus or equivalent and
	full protective gear.
Ventilation	: Provide adequate ventilation when processing material at elevated
	temperatures.
Engineering Controls	: For molten materials: Provide mechanical ventilation; in general such
	ventilation should be provided at compounding/ converting areas and at
	fabricating/ filling work stations where the material is heated. Local exhaust
	ventilation should be used over and in the vicinity of machinery involved in
	handling the molten material.
Section 9 – Physical and	Chemical Pronerties
beetton > Thysical and	
Appearance	: Opaque, translucent, colorless pellets or white fluff (powder), solid
Odor	· Characteristic odor

FF	F T T T T T T T T T T T T T T T T T T T	(F),
Odor	: Characteristic odor	
Boiling Point	: Not applicable	
Flash Point	: 348 °C (ASTM D1929)	

บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 กนนวิกาวดีรับสิต เขวงจตุจักร เขตจตุจักร กรุงเทพ 4 10900 โกร. +66(0) 2765 -7000, 66(0) 2765 -7777 IIWกซ์: +66(0) 2765 -7002 - 5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765 -7000, 66(0) 2765 -7777 FAX: +66(0) 2765 -7002 - 5 www.irpc.co.ih, www.irpcmarket.com



Melting Point	: 130 – 170 °C
Auto-ignition Temperature	: 380 °C
Vapor Pressure	: Not applicable
Specific Gravity	: 0.85 – 0.95
Density	: $0.85 - 0.95 \text{ g/cm}^3$
Solubility in water	: Insoluble
Solubility (Qualitative)	: Soluble in polar solvents
Partition coefficient: n-octanal	: Not applicable
рН	: Not available
Bulk Density	: 400(powder)-600(pellet) kg/m ³
Section 10 - Stability and R	eactivity
Stability	: This material is considered a stable thermoplastic, with no chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.
Condition to Avoid	: Avoid temperatures above 300°C.
Material to Avoid	: Avoid solvents and oxidizing agents.
Dangerous decomposition	: Carbon dioxide, carbon monoxide, hydrocarbons, dense smoke.
Continue 11 Terrinological I	formunation

Section 11 – Toxicological Information

Acute toxicity

Chemical name	Route	Species	Acute Toxic Value
Polypropylene	Oral	Rat	LD ₅₀ > 8,000 mg/kg

Irritating/corrosive effects

minuting/ comoditie chieded			
Eye Irritation	: Solid particles may ca	ause transient irritation from mechanical abrasion.	
Skin Irritation	: Molten material may	cause thermal burns.	
Respiratory Irritation	: Not a likely route of exposure. Process fumes may cause irritation.		
Ingestion Irritation	: May cause a choking	hazard if swallowed.	
Carcinogenic effect:			
International Agency for Res	earch on Cancer (IARC):	Group 3	
		NOT classifiable as to its carcinogenicity to humans.	

Section 12 – Ecological Information

Aquatic toxicity	: No relevant studies identified.
Persistence and degradability	: This material is not expected to be readily biodegradable.
Bio-accumulative potential	: Not expected to be bio-accumulative due to its insolubility in water.
Mobility in soil	: No relevant studies identified.
Other adverse effects	: Not expected to pose a significant ecological hazard.



บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนวิกาวดีรับสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 แฟ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th, www.irpcmarket.com



Section 13 - Disposal Considerations

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Dispose of by: burial in a land-fill specifically licensed to accept chemical and/or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Section 14 – Transport Information

Regulatory information	UN number	Class	Packing group	Label	Proper Shipping Name
DOT	-	-	-	-	-
ADR/RID	-	-	-	-	-
IMDG CODE	-	-	-	-	-
ICAO/IATA	-	-	-	-	-

Section 15 – Regulatory Information

US Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

HMIS-USA

Health - 0, Flammability - 1, Reactivity - 0

NFPA- USA

Health – 0, Flammability – 1, Reactivity – 0

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

Canada - WHMIS

Material is not controlled under WHMIS.

Section 16 – Other Information

DO	Т	: Department of Transportation
ADI	R	: European agreement concerning the international carriage of dangerous goods by road.
RID)	: Regulations concerning the international carriage of dangerous goods by rail.
IMI	DG – CODE	: International maritime dangerous goods code
ICA	0	: International Civil Aviation Organization
IAT	A	: International air transport association
GHS	S	: Globally Harmonized System of Classification and Labeling of Chemicals
CLF	þ	: Classification and Labeling of Packaging
NFI	PA	: National Fire Protection Association
HM	IIS	: Hazardous Materials Identification System
WH	IMIS	: Workplace Hazardous Materials Information System

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes

IRPC

บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนอิกาวดีรับสิต เขวงจตุจักร เขตจตุจักร กรุงเทพ ฯ 10900 โทร. +66(0) 2765-7000, 66(0) 2765-7777 เเฟ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com