

# **SAFETY DATA SHEET**

In according 3rd revision GHS

Revision Date : 25 June 2018

# Section 1 – Identification

Product Name	: F1004
Product Type	: Homo Polypropylene
Product Use	: Extusion Process; Film, BOPP
Manufacturer	: IRPC Public Company Limited
	299 Moo. 5 Sukhumvit Road, Amphur Muang, Rayong THAILAND
Emergency Call	: +66(0) 38802560
Website	: www.irpc.co.th, www.irpcmarket.com

Section 2 – Hazards Identification

Classification according to Regulation (EC) No. 1272/2008 (CLP) and GHS Classification :

This product is not classified as dangerous according to Regulation (EC) No 1272/2008 and GHS **Pictogram :** Not Applicable

Pictogram: Not Applicable

Signal Word : Not applicable

Hazard Statement :

# **Precautionary Statement :**

# Section 3 – Composition / Information on Ingredients

Chemical Name	CAS Number	EC Number	Percent weight
Polypropylene	9003-07-0	Polymer	>=98



555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กษ์ อาคาร บี เช็น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพ 4 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 แพ็กษ์: +66(0) 2765-7002-5 IRPC Public Company Limited
555/2 Energy Complex Building B, 6<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com



# Section 4 – First-aid Measures

Section 4 - First-alu M			
Skin Exposure	: If molten material comes in contact with the skin, cool under ice water or a running stream of water.DO NOT attempt to remove the material from the skin.Remove could result in serve tissue damage.		
Eyes Exposure	: If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open.Remove contact lenses, if worn.Get immediate medical attention.		
Inhalation	: Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties continue.		
Ingestion	: Not a probable route of exposure. If person is conscious, rinse mouth with water. Do not induce vomiting unless directed to do so by a physician.		
Section 5 – Fire-fightin	g Measures		
Suitable extinguishing	<b>gagents</b> : Dry chemicals, foam, water, carbon dioxide and halon. Avoid using direct streams of water on molten burning material.		
Hazards during fire-fig	<b>ghting</b> : Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.		
Protective equipment	: Use a mask with universal filler.Use self-contained breathing apparatus and full protective clothing.		
Section 6 – Accidental Release Measures			
Personal precautions	: Avoid inhalation and direct contact with molten material.		
Environmental precau	itions : Discharge into the environment must be avoided.		
Cleanup :			
vacuum).Place waste in a	sing a method that minimizes dust generation (e.g., wet methods, HEPA in appropriate container for disposal.Use care during clean-up to avoid exposure y from broken containers.		
Section 7 – Handling an	nd Storage		
Handling	: Use with adequate ventilation.Avoid dust generation.Accumulations of dust should be removed from settling areas.		
Storage conditions	: Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame and sparks.Ventilate enclosed storage areas, such as trailers and railcars, before entering.		



2

555/2 ศูนย์เอนเนอร์ยี่คอนเพล็กษ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 แฟ็กษ์: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6<sup>th</sup> Floor, Vibhavadi Rangait Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2765-7000, 66(0)2765-7777 FAX: +66(0)2765-7002-5 www.irpc.co.th.www.irpcmarket.com



# Section 8 – Exposure Controls / Personal Protection

:

Personal protective equipment

## Exposure limits

Component Name	Reference	TWA		STEL	
<b>F</b>	ppm		mg/m3	ppm	mg/m3
Delumnonylone	Canada-OEL	-	10	-	-
Polypropylene	Italy-OEL	-	10	-	-

reisonal protective equipment			
Respiratory protection	: No special respiration protection is normally required.		
Eye protection	: Wear safety glasses with side shields, goggles or face shield.		
Protective clothing	: Gloves required when handling hot material.In case of fire, wear MSHA/NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.		
Ventilation	: Provide adequate ventilation when processing material at elevated temperatures.		
Other protective equipment	: Ensure that eyewash stations and safety showers are proximal to the work-station location.		
Engineering Controls	: For molten materials: Provide mechanical ventilation; in general such ventilation should be provided at compounding/ converting areas and at fabricating/filling work stations where the material is heated.Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material.		
	Respiratory protection Eye protection Protective clothing Ventilation Other protective equipment		

# IRPC

บริษัท ไออาร์พีซี จำกัด (มหาชน)



Section 9 - Physical and	Chemical Properties
--------------------------	---------------------

5 1		
Apprearance	:	Colorless pellets
Odour	:	Odourless
Boiling Point	:	Not Applicable
Flash Point	:	Not Applicable
Melting Point	:	130-170°C
Vapour Pressure	:	Not Applicable
Auto ignition temperature	:	Not Applicable
Solubility	÷	Insolublein water
Viscosity	:	Not Applicable
Upper/Lower flammability or explosive limit	:	Not Applicable
рН	:	Not Applicable
Relative density	:	Not Applicable
Specific Gravity	:	Not Applicable
Partition coefficient: n-octanol/water	:	Not Applicable
Decomposition temperature	:	Not Applicable
Explosive properties	:	Not Applicable
	:	

Section 10 – Stability and Reactivity		
Stability	: No chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.	
Condition to Avoid	: Avoid heating above the recommended processing temperature.	
Material to Avoid	: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.May react with free halogens.	
Dangerous decomposition	<b>on</b> : Small quantities of low molecular weight hydrocarbons, carboxylic acids, carbon oxides can be formed during thermal processing.	
Section 11 – Toxicological Information		

#### Acute Toxicity :

Chemical name	Route	Species	Acute Toxic Value
Polypropylene Oral		Rat	LD50 > 8,000 mg/kg

# Irritating/corrosive effects

Eye Irritation : Solid particles ma	ay cause transient irritation from mechanical abrasion.
-------------------------------------	---------------------------------------------------------

- Skin Irritation : Molten material may cause thermal burns.
- Inhalation : Process fumes may cause irritation.
- Ingestion : May cause a choking hazard if swallowed.



บริษัท ไออาร์พีซี จำกัด (มหาชน) 555/2 ศูนย์เอนเมอร์ยี่คอมเพล็กษ์ อาคาร ปี เช้น 6 กนนวิกาวดีรังสิต เขวงจิตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th.www.irpcmarket.com

# POLIMAXX

Section	12 -	Fcol	ogical	Inform	nation
SCCHOIL	12 -	LCOL	ogical	morn	nation

<b>Eco-toxicity</b> : No relevant studies found.		
Persistence and degradability	: This material is not expected to be readily biodegradable.	
Bio-accumulative potential	: Product is not likely to accumulate in biological organisms.	
Mobility in soil	: No relevant studies identified.	
Other adverse effects	: This substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.	
Section 13 – Disposal Considerations		

## **Disposal methods:**

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Dispose of by: burial in a land-fill specifically licensed to accept chemical and/or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material) Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

#### Section 14 – Transport Information

Regulatory information	UN number	Classes	Packing group	Label	Additional information
DOT	-	-	-	-	-
ADR/RID	-	-	-	-	-
IMDG CODE	-	-	-	-	-
ICAO/IATA	-	-	-	-	-



555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต เช่วงอตุจักร เชตอตุจักร กรุงเทพ 4 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 เพ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6<sup>th</sup> Floor, Vibhavadi Rangait Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765-7000, 66(0) 2765-7777 FAX: +66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com



#### Section 15 – Regulatory Information

#### **US Toxic Substances Control Act**

All components of this product are on the TSCA Inventory.

## **European Inventory of Existing Commercial Chemical Substances (EINECS)**

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

#### Canada - WHMIS

This product does not meet WHMIS classification criteria.

NFPA – USA						
Health : 0	Flammability : 1	Reactivity : 0				
HMIS						
Health : 0	Flammability : 1	Reactivity : 0				
Section 16 – Other Information						
ADR	: European agreement concerning the international carriage of dangerous goods by road.					
RID	: Regulations concerning the international carriage of dangerous goods by rail.					
DOT	: Department of Transportation					
IATA	: International air transport association					
ICAO	: International Civil Aviation Organization					
IMDG-CODE	: International maritime dangerous goods code					
CLP	: Classification and Labeling of Packaging					
GHS	: Globally Harmonized System of Classification and Labeling of Chemicals					
TWA	: Time Weighted Average					
OEL	: Occupational Exposure Limits					
LD50	: Lethal Dose, 50%					
HMIS	: Hazardous Materials	Identification System				

HMIS: Hazardous Materials Identification SystemNFPA: National Fire Protection Association

: Workplace Hazardous Materials Information System

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



บริษัท ไออาร์พีซี จำกัด (มหาชน)

WHMIS

6

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 กนนอีกาวดีรับสิต เช่วยอตุจักร เชตอตุจักร กรุงเทพ 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 เพ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765-7000, 66(0) 2765-7777 FAX: +66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com