

SAFETY DATA SHEET

Revision Date: 10 October 2019

Section 1 - Identification

Product Name : HI650

Product Type : High Impact Polystyrene

Product Use : Can be used to produce injection or extrusion molded articles for

commercial or Industrial products.

Manufacturer : IRPC Public Company Limited

299 Moo. 5 Sukhumvit Road, Amphur Muang, Rayong THAILAND

Emergency Call : +66(0)38 802560

Website : www.irpc.co.th, www.irpcmarket.com

Section 2 - Hazards Identification

Classification according to Regulation (EC) No. 1272/2008 (CLP) and GHS Classification:

This product is not classified as dangerous according to Regulation (EC) No 1272/2008 and GHS

Pictogram: Not Applicable

Signal Word: Not applicable

Hazard Statement:

_

Precautionary Statement:

-

Section 3 – Composition / Information on Ingredients

Chemical Name		CAS Number	EC Number	Percent weight
Polystyrene		9003-53-6	500-008-9	>= 87
1,3-Butadiene Polymer		9003-17-2	Polymer	>= 5





Section 4 - First-aid Measures

Skin Exposure : In case of skin contact with hot polymer immediately immerse in or flush

with clean, cold water. If irritation develops, seek medical attention.

Eyes Exposure : If molten material should splash into eyes, flush eyes immediately with

fresh water for 15 minutes while holding the eyelid open.Remove contact

lenses, if worn.Get immediate medical attention.

Inhalation : Move the exposed person to fresh air. If breathing is difficult, give

oxygen.Get medical attention if breathing difficulties continue.

Ingestion : No first aid procedures are required. Seek medical attention if a significant

amount is swallowed.

Section 5 - Fire-fighting Measures

Suitable extinguishing agents: Dry chemicals, foam, water, carbon dioxide and halon. Avoid using

direct streams of water on molten burning material.

Hazards during fire-fighting: Carbon monoxide, carbon dioxide, original monomer other

hydrocarbon oxidation products. Carbon monoxide, carbon dioxide,

original monomer other hydrocarbon oxidation products.

Protective equipment : Wear self-contained respiratory protective device.

Section 6 - Accidental Release Measures

Personal precautions: If molten material, avoid breathing vapors.

Environmental precautions: Discharge into the environment must be avoided.

Cleanup:

Collect spilled material using a method that minimizes dust generation (e.g., wet methods, HEPA vacuum). Sweep/shovel up or spray with water and collect in a suitable container. Good housekeeping must be maintained at all times to avoid this hazard. Place waste in an appropriate container for disposal.

Section 7 - Handling and Storage

Handling : Exposure of polyst

: Exposure of polystyrene to extremely high temperatures may cause partial decomposition. Chemicals that may be released

include styrene monomer, benzene, and other

hydrocarbons. Handling of pellets may form dust. Filter and

ventilate dust where necessary.

Storage conditions : Store in a cool, dry, well-ventilated area or silo away from

sources of heat, flame and sparks. Store below 50 °C. Keep away from moisture, excessive heat and sources of ignition. Do not

place in direct sunlight.





Section 8 - Exposure Controls / Personal Protection

Exposure limits : No exposure limit value known

Personal protective equipment

Respiratory protection : Wear respiratory protection if ventilation is inadequate. Breathing

protection device if dust is formed.

Eye protection : Chemical workers goggles recommended.

Protective clothing : Gloves required when handling hot material. In case of fire, wear

MSHA/NIOSH approved self-contained breathing apparatus or

equivalent and full protective gear.

Ventilation : Provide adequate ventilation when processing material at elevated

temperatures.

Other protective equipment :

Engineering Controls : For molten materials: Provide mechanical ventilation; in general such

ventilation should be provided at compounding/converting areas and at fabricating/filling work stations where the material is heated.Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material.

Section 9 – Physical and Chemical Properties

Apprearance : Opaque Pellet

Odour : Characteristic odor

Boiling Point : Not Applicable

Flash Point : Not Applicable Not Applicable

Melting Point: Not ApplicableVapour Pressure: Not ApplicableAuto ignition temperature: Not Applicable

Solubility : Soluble in polar solvent

Viscosity : Not Applicable Not Applicable

Upper/Lower flammability or explosive

limit

: Not Applicable

pH : Not Applicable

Relative density : Not Applicable Not Applicable

Specific Gravity : 1.04 - 1.05 (Water = 1)

Partition coefficient: n-octanol/water: Not ApplicableDecomposition temperature: Not ApplicableExplosive properties: Not Applicable

Softening Point : > 90 ?C





Section 10 - Stability and Reactivity

Stability : Stable under normal ambient temperature.

Condition to Avoid : Avoid temperatures above 300°C.

Material to Avoid : Avoid solvents and oxidizing agents.

Dangerous decomposition: Carbon dioxide, carbon monoxide, hydrocarbons, dense smoke.

Section 11 – Toxicological Information

Acute Toxicity: No relevant studies found.

Irritating/corrosive effects

Eye Irritation : Prolonged contact can causes eye irritation.

Skin Irritation : May cause skin irritation.

Inhalation : May cause allergic respiratory response.

Ingestion : Swallowing larger amounts may cause injury.

Section 12 - Ecological Information

Eco-toxicity : No relevant studies found.

Persistence and degradability: The product is not easily biodegradable.

Bio-accumulative potential : Insoluble in water. Not expected to be bio-accumulative.

Mobility in soil : No relevant studies identified.

Other adverse effects : Not expected to pose a significant ecological hazard.

Section 13 – Disposal Considerations

Disposal methods:

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Dispose of by: burial in a land-fill specifically licensed to accept chemical and/or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material) Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.





Section 14 - Transport Information

Regulatory information	UN number	Classes	Packing group	Label	Additional information
DOT	Not regulated	-	-	-	
ADR/RID	Not regulated	- 1	-	-	
IMDG CODE	Not regulated	-	_	-	
ICAO/IATA	Not regulated		-	-	

Section 15 – Regulatory Information

US Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

Canada - WHMIS

Material is not controlled under WHMIS.

NFPA - USA

Health: 0 Flammability: 1 Reactivity: 0

HMIS

Health: 0 Flammability: 1 Reactivity: 0

Section 16 - Other Information

ADR : European agreement concerning the international carriage of dangerous goods by road.

RID : Regulations concerning the international carriage of dangerous goods by

rail.

DOT : Department of Transportation

IMDG-CODE : International maritime dangerous goods code

ICAO : International Civil Aviation Organization
IATA : International air transport association
CLP : Classification and Labeling of Packaging

GHS : Globally Harmonized System of Classification and Labeling of Chemicals

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

WHMIS : Workplace Hazardous Materials Information System





The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

