

# SAFETY DATA SHEET

In Accordance with 4th revised edition of GHS

### **Section 1 - Identification**

**Product Name** : POLIMAXX® Polypropylene Homopolymer Plastic Resin

Polypropylene, polypropylene homopolymer, 1-propene **Chemical Name and Synonyms:** 

homopolymer, PP

**Chemical Formula**  $: (C_3H_6)n$ **Product Code** : 1111R

Product Use : Raw material for plastic industry, Resin, extrusion and compounding, plastic

molding, molded articles, films and coatings

Manufacturer : IRPC Public Co., Ltd.

299 Moo 5 Sukhumvit Road Amphur Muang Rayong Thailand

**Emergency Call** : +66(0) 38 802560

Website : www.irpc.co.th, www.irpcmarket.com

### Section 2- Hazards Identification

Regulation (EC) No 1272/2008: This product is not classified as dangerous according to Regulation (EC) No

1272/2008.

Directive 67/548/EEC : This product is not classified as dangerous according to EU Directive

67/548/EEC.

**Regulation (EC) No 1907/2006**: This product is compiled REACH Regulation (EC) No 1907/2006.

**GHS** : Not classified **Label elements** : Not applicable Other hazards : Not applicable

# Section 3 - Composition / Information on Ingredients

Chemical Name		CAS Number	EC Number	Percent weight
Polypropylene		9003-07-0	Polymer	≥99

### Section 4 - First-aid Measures

Skin Exposure : If molten material comes in contact with the skin, cool under ice water or a running

stream of water. DO NOT attempt to remove the material from the skin. Remove

could result in serve tissue damage. Get medical attention.

**Eyes Exposure** : If molten material should splash into eyes, flush eyes immediately with fresh water

for 15 minutes while holding the eyelid open. Remove contact lenses, if worn. Get

immediate medical attention.

**Inhalation** : Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get

medical attention if breathing difficulties continue.

Ingestion : Not a probable route of exposure. If person is conscious, rinse mouth with water. Do

not induce vomiting unless directed to do so by a physician.





# **Section 5 – Fire-fighting Measures**

Suitable extinguishing agents: Dry chemical, foam, water fog or carbon dioxide. Avoid using direct streams of

water on molten burning material

**Hazards during fire-fighting**: Carbon monoxide, carbon dioxide, original monomer other hydrocarbon.

**Protective equipment** : Use a mask with universal filler. Use self-contained breathing apparatus and full

protective clothing.

### **Section 6 - Accidental Release Measures**

**Personal precautions** : Avoid inhalation and direct contact.

**Environmental precautions**: Discharge into the environment must be avoided.

**Cleanup** : Collect spilled material using a method that minimizes dust generation (e.g. wet

methods, HEPA vacuum). Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from

broken containers.

## Section 7 - Handling and Storage

**Handling** : Use with adequate ventilation. Avoid dust generation. Avoid contact with eyes

and skin. Accumulations of dust should be removed from settling areas.

**Storage conditions** : Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame

and sparks. Ventilate enclosed storage areas, such as trailers and railcars, before entering. Have emergency equipment for fires and spills readily

available.

### Section 8 - Exposure Controls / Personal Protection

### **Exposure limits**

Component Name		Reference	TWA	
		Reference	ppm	mg/m3
Polypropylene		Italy-OEL	-	10
		Canada-OEL	-	10

### Personal protective equipment

Respiratory protection : No special respiration protection is normally required.

Eye protection : Wear safety glasses with side shields, goggles or face shield.

Protective clothing : Gloves required when handling hot material. In case of fire, wear MSHA/NIOSH

approved self-contained breathing apparatus or equivalent and full protective gear.

Ventilation : Provide adequate ventilation when processing material at elevated temperatures.

Other protective equipment: N.A

**Engineering Controls**: For molten materials: Provide mechanical ventilation; in general such ventilation

should be provided at compounding/ converting areas and at fabricating/ filling work stations where the material is heated. Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material.





### **Section 9-Physical and Chemical Properties**

**Physical Description:** Opaque, translucent, colorless pellets or white fluff (powder), solid

pH: not applicable

Vapor Pressure:not applicableBoiling Point:not applicableMelting Point:130-170°C

**Flash Pint:** 348°C (ASTM D1929)

Auto-ignition: 380 °C

**Solubility**: Insoluble in water

**Specific Gravity**: 0.85-0.95

**Density**: 0.85-0.95g/cm<sup>3</sup>

**Bulk Density** 400(powder)-600(pellet) kg/m<sup>3</sup>

**Evaporation Rate**: not applicable

Volatile Matter (wt.): < 0.1%Water Absorption (wt.): < 0.05%

### Section 10 - Stability and Reactivity

**Chemical Stability**: This material is considered a stable thermoplastic, with no chemical reactivity

under normal ambient and anticipated handling conditions of temperature and

pressure.

**Condition to Avoid** : Avoid heating above the recommended processing temperature. DO NOT heat

without adequate ventilation.

**Material to Avoid**: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

May react with free halogens.

Dangerous decomposition: Small quantities of low molecular weight hydrocarbons, alcohols, aldehydes

(incl. Formaldehyde), carboxylic acids, carbon oxides and ketones can be formed

during thermal processing.

Hazardous polymerization products: Hazardous polymerization will not occur.

### **Section 11 - Toxicological Information**

### **Acute Toxicity**

Chemical name		Route	Species	Acute Toxic Value
Polypropylene		Oral	Rat	LD <sub>50</sub> > 8,000 mg/kg

### **Irritating/corrosive effects**

Eye Irritation : Solid particles may cause transient irritation from mechanical abrasion.

Skin Irritation : Not expected to cause skin irritation. Molten material may cause thermal burns.

Inhalation : Not a likely route of exposure. Process fumes may cause irritation

Ingestion : May cause a choking hazard if swallowed.

# Other information Carcinogenic effect:

International Agency for Research on Cancer (IARC): Group3

NOT classifiable as to its carcinogenicity to humans.





## Section 12 - Ecological Information

**Eco-toxicity** : No relevant studies identified.

**Persistence and degradability**: This material is not expected to be readily biodegradable.

**Bio-accumulative potential**: Product is not likely to accumulate in biological organisms.

**Mobility in soil** : No relevant studies identified.

Other adverse effects : This substance is not in Annex I of Regulation (EC) 2037/2000 on substances

that deplete the ozone layer.

# **Section 13 - Disposal Considerations**

### **Disposal Methods:**

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Incineration in a licensed apparatus (after admixture with suitable combustible material).

# **Section 14 - Transport Information**

Regulatory information	UN number	Class	Packing group	Label	Additional information
DOT	Not regulated	-	-	-	-
ADR / RID	Not regulated	-	-	-	-
IMDG CODE	Not regulated	-	-	-	-
ICAO / IATA	Not regulated	-	-	-	-

### Section 15 - Regulatory Information

### **US Toxic Substances Control Act**

All components of this product are on the TSCA Inventory.

### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

# EU Directives 67/548/EEC, 1999/45/EC and Regulation (EC) No 1272/2008

The product is not classified as dangerous for supply according to the Regulation (EC) No 1272/2008 and the EC directive 67/548/EEC and 1999/45/EC.

### NFPA - USA

Health - 0, Flammability - 1, Reactivity - 0

### **HMIS - USA**

Health – 0, Flammability – 1, Reactivity – 0

### Canada - WHMIS

This product does not meet WHMIS classification criteria.

### Canada - DSL

This product is listed in DSL.





### Section 16 - Other Information

The information in this document is based on our best present. Nevertheless, it does not constitute a guarantee for any specific product features and does not establish any a legally binding contract.

DOT : Department of Transportation

ADR : European agreement concerning the international carriage of dangerous goods by road.

RID : Regulations concerning the international carriage of dangerous goods by rail.

IMDG – CODE : International maritime dangerous goods code

ICAO : International Civil Aviation Organization
IATA : International air transport association

GHS : Globally Harmonized System of Classification and Labeling of Chemicals

NFPA : National Fire Protection Association

HMIS : Hazardous Materials Identification System

WHMIS : Workplace Hazardous Materials Information System

DSL : Domestic Substances List

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.